EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(@rlad<"20030220" or @ad<"20030220") and (source adj address) near2 (switching adj unit) and "370""."""401".clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/20 13:27
L3	0	(@rlad<"20030220" or @ad<"20030220") and (source adj address) near2 (switching adj unit) and 370/401,389,392.clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/20 13:49
S1	208	distribute adj (router or server)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/28 07:51
S2	0	distribute adj (router or server)and ping adj pong	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 13:01
S3	208	distribute adj (router or server)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 13:31
S4	2	"2004016504"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 13:29
S5	1	"20040165604"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 15:43
S6	0	distribute adj (router or server)and (ping$pong)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 13:32
S7	692	(router or server)and (ping $pong)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 13:34
S8	334	router and (ping$pong)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 13:35
S9	334	router and (ping$1pong)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 13:35
S10	0	solution adj for and router and ping$1pong and problem	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 15:45
S11	244	router and ping$1pong and problem	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 16:17
S12	291	distributed and (router or server) and ping$1pong and prevent$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 16:22

S13	2536	"L21" and (@rlad<"20020230" or @ad<"20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 16:21
S14	217	S12 and (@rlad<"20020230" or @ad<"20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 16:21
S15	96	distributed and router and ping$1pong and prevent$3 and (@rlad<"20020230" or @ad<"20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 12:40
S16	2	(distributed adj router) and (poison adj reverse)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/28 08:15
S17	225	(distributed adj router)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/28 08:15
S18	10	poison near reverse	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/28 11:13
S19	55	"6122630"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/28 11:16
S20	1	("6662196").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/02/28 11:16
S21	414	distributed and router and forward$3 adj (engine or processor)and (@rlad<"20020230" or @ad<"20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 12:41
S22	12585236	distributed and router and forward$3 adj (engine or processor)and header (@rlad<"20020230" or @ad<"20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 12:41
S23	15	(distributed adj router) and (forward$3 adj (engine or processor)) and header and (@rlad<"20020230" or @ad<"20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 12:46
S24	6	(distributed adj router) and (forward$3 adj (engine or processor)) and (IP adj header) and (@rlad<"20020230" or @ad<"20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 13:21
S25	11	(distributed adj router) and ((ip adj header) and extract $3) and (@rlad<"20020230" or @ad<"20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 13:26

S26	10	(distributed adj router) and forward$3 adj (enginr or agent or processor) and (@rlad< "20020230" or @ad< "20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 13:30
S27	19	(distributed adj router) and forward$3 adj (engine or agent or processor) and (@rlad< "20020230" or @ad< "20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 14:56
S28	3061	forward$3 adj (engine or agent or processor) and (@rlad< "20020230" or @ad< "20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 14:56
S29	993	distributed and forward$3 adj (engine or agent or processor) and (@rlad< "20020230" or @ad< "20020220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 14:56
S30	5524	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 17:40
S31	1696	370/395,351,200.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/01 17:46
S32	135	da same (equal or "same" or similar) near4 sa and (@rlad< "20030220" or @ad< "20030220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 18:01
S33	82	da same (equal or "same" or similar) near4 sa and (@rlad< "20030220" or @ad< "20030220") and rout $3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 17:03
S34	7	da same (equal or "same" or similar) near4 sa and (@rlad< "20030220" or @ad< "20030220") and ping $pong	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 17:05
S35	7	(da or destination$address) same (equal or "same" or similar) near4 (sa or source $address) and (@rlad< "20030220" or @ad< "20030220") and ping $pong	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 17:06
S36	7	(da or destination$address) same (equal or "same" or similar) near4 (sa or source $address) and (@rlad< "20030220" or @ad< "20030220") and (ping adj pong)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/14 14:46

S37	135	(da or destination$address) same (equal or "same" or similar) near4 (sa or source $address) and (@rlad< "20030220" or @ad< "20030220")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 17:47
S38	1	(@rlad< "20030220" or @ad< "20030220") and self $addressing near3 packet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 17:48
S39	24	(@rlad< "20030220" or @ad< "20030220") and self $addressing and packet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 17:48
S40	32	"6018526"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 17:53
S41	31	("6018526").URPN.	USPAT	OR	ON	2007/09/13 18:00
S42	0	(@rlad< "20030220" or @ad< "20030220") and ("same" near3 address) and ("not" adj forwarded)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 18:02
S43	51109	(@rlad< "20030220" or @ad< "20030220") and ("same" near3 address)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 18:02
S44	13280	(@rlad< "20030220" or @ad< "20030220") and ("same" near3 address) and forward	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 18:02
S45	0	(@rlad< "20030220" or @ad< "20030220") and ("same" near3 address) and "not" adj forward	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 18:03
S46	209	(@rlad< "20030220" or @ad< "20030220") and ("same" near3 address) same discard	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 18:04
S47	51109	(@rlad< "20030220" or @ad< "20030220") and ("same" near3 address) near5discard	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 18:04
S48	12	(@rlad< "20030220" or @ad< "20030220") and ("same" near3 address) near5 discard	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/13 18:04
S49	0	(da or destination$address) same (equal or "same" or similar) near4 (sa or source $address) and (@rlad< "20030220" or @ad< "20030220") and (ping adj pong) and 370/389.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/14 14:47

S50	20	(@rlad< "20030220" or @ad< "20030220") and (ping adj pong) and 370/389.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/14 14:47
S51	15	("5136580" | "5245606" | "5247620" | "5307345" | "5329618" | "5374926" | "5428615" | "5477547" | "5481540" | "5504746" | "5633865" | "5638515" | "5740171" | "5757795" | "5764895").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/02 16:58
S52	176	(@rlad< "20030220" or @ad< "20030220") and distribute adj (router or server)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/02 17:25
S53	0	(@rlad< "20030220" or @ad< "20030220") and distribute adj (router or server) and (source near3 address) and router and (switch$3 near3 unit)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/02 17:26
S54	813	(@rlad< "20030220" or @ad< "20030220") and (source near3 address) and router and (switch$3 near3 unit)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/02 17:26
S55	3	(@rlad< "20030220" or @ad< "20030220") and (source near3 address) and router and (switch$3 near3 unit) and (ping near3 pong)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/02 17:27
S56	0	(@rlad< "20030220" or @ad< "20030220") and ((source near3 address) same (ping near3 pong)) and (switch$3 near3 unit)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/02 17:34
S57	14	(@rlad< "20030220" or @ad< "20030220") and ((source near3 address) same (ping near3 pong))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/02 17:34
S58	71	(@rlad< "20030220" or @ad< "20030220") and ((source near3 address) with (switch$3 near3 unit))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/02 17:47
S59	7	(@rlad< "20030220" or @ad< "20030220") and ((source near3 address) with ((switch$3 near3 unit) and router))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/02 17:47
S60	12	(@rlad< "20030220" or @ad< "20030220") and source and base and rout$3 and "401"/$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 14:26

S61	193	(@rlad< "20030220" or @ad< "20030220") and source and base and rout$3 and "392"/$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 14:31
S62	235871	(@rlad< "20030220" or @ad< "20030220") and source and base and rout$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:19
S63	162	(@rlad< "20030220" or @ad< "20030220") and (source near3 base) near5 rout$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:20
S64	32	(@rlad< "20030220" or @ad< "20030220") and (source near3 base) near rout$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:20
S65	0	(@rlad< "20030220" or @ad< "20030220") and (source near3 base) near rout$3 and ping$pong	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:26
S66	2	(@rlad< "20030220" or @ad< "20030220") and (source near3 address) and router and (switch$3 near3 unit) and ping$pong	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:43
S67	57	(@rlad< "20030220" or @ad< "20030220") and (packet near10 (external adj router))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:46
S68	2	(@rlad< "20030220" or @ad< "20030220") and (packet near10 (external adj router)) and ping$pong	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:47
S69	0	(@rlad< "20030220" or @ad< "20030220") and (packet near10 (from adj4 external adj router))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:51
S70	47	(@rlad< "20030220" or @ad< "20030220") and (packet near5 (external adj router))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:52
S71	41	(@rlad< "20030220" or @ad< "20030220") and (packet near3 (external adj router))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:52
S72	3098	(@rlad< "20030220" or @ad< "20030220") and ping $pong	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:53
S73	242	(@rlad< "20030220" or @ad< "20030220") and ping $pong and (source adj5 address)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:53

S74	9	(@rlad< "20030220" or @ad< "20030220") and ping $pong and (source adj5 address) and 370/401.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 15:54
S75	9	(@rlad< "20030220" or @ad< "20030220") and ping $pong and (source adj5 address) and 370/389.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 16:00
S76	242	(@rlad< "20030220" or @ad< "20030220") and ping $pong and (source adj5 address)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 16:42
S77	11	(@rlad< "20030220" or @ad< "20030220") and (ping $pong same (source adj5 address))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/05 16:43

3/20/2008 1:52:28 PM
C:\Documents and Settings\schan1\My Documents\EAST\Workspaces\10781748 ping-pong 1.wsp